

QQ:
2881984539

深圳市南科功率半导体有限公司
Shenzhen Nanke Power Semiconductor Co., Ltd.
ADD: 深圳市福田区南光捷佳大厦1410-1412
TEL: 0755-82550454 FAX: 0755-82550454

NKGLBDT

Part No.	MOSFET Type	VDS (V)	VGS (V)	VGS(th) (Typ.V)	ID (A)	RDS(ON) (mΩ) at VGS=10V		RDS(ON) (mΩ) at VGS=4.5V		RDS(ON) (mΩ) at VGS=2.5V		Package Type
						Type	Max	Type	Max	Type	Max	
2N7002K	N	60	±20	1.3	0.3	2300	2600	2500	3000	-	-	SOT-23
NK60P04Y	P	-60	±20	-	-4	100	110	-	135	-	-	SOT-23-3
100N02AA	N	100	±20	1.5	2	260	310	270	320	-	-	SOT-23
100P02AA	P	-100	±20	-1.5	-1.5	750	800	800	850	-	-	SOT-23
NK100N03AA	N	100	±20	1.5	3	240	280	250	300	-	-	SOT-23
NK100N05A	N	100	±20	2	5	85	105	110	130	-	-	SOT-23-3
NK2300A	N	20	±12	-	6	-	-	22	35	30	45	SOT-23-3
NK2300AA	N	20	±10	-	6	-	-	22	25	28	35	SOT-23
NK2301A	P	-20	±12	-	-3	-	-	-	120	-	150	SOT-23-3
NK2301AA	P	-20	±10	-0.7	-3	-	-	90	110	98	140	SOT-23
Z301S	P	-20	±10	-	-2	-	-	-	130	-	180	SOT-23
NK2302A	N	20	±12	0.75	3	-	-	38	50	45	80	SOT-23-3
NK2302AA	N	20	±8	-	3	-	-	35	42	45	55	SOT-23
Z302S	N	20	±10	-	2.3	-	-	70	80	75	100	SOT-23
NK2304A	N	30	±20	1.5	3.6	35	40	40	60	-	-	SOT-23-3
NK2305A	P	-20	±10	-0.8	-4.2	-	-	36	44	45	56	SOT-23-3
NK2305AA	P	-20	±10	-	-3	-	-	-	45	-	60	SOT-23
NK2308	N	60	±20	-	2.6	82	100	96	130	-	-	SOT-23
NK2309A	P	-60	±20	-1.9	-2	180	220	250	300	-	-	SOT-23-3
NK2310	N	60	±20	-	3	82	100	96	130	-	-	SOT-23
NK2311	P	-60	±20	-	-1.9	-	180	-	266	-	-	SOT-23
NK2312	N	20	±12	-	7	-	-	18	25	20	30	SOT-23-3
NK3400A	N	30	±12	0.8	5.8	22	28	33	40	45	55	SOT-23-3
NK3400AA	N	30	±12	-	5.8	30	35	33	40	45	55	SOT-23
NK3401A	P	-30	±12	-1	-4.2	48	55	60	75	80	90	SOT-23-3
NK3401AA	P	-30	±12	-	-4.2	50	55	60	70	80	120	SOT-23
NK3404A	N	30	±20	1.6	6.5	23	25	26	35	-	-	SOT-23-3
NK3407A	P	-30	±20	-	-4.2	50	55	60	70	80	120	SOT-23-3
NK3415A	P	-20	±10	-0.65	-4	-	-	35	50	45	60	SOT-23-3
NK9435AS	P	-30	±20	-1.7	-4.5	42	50	50	75	-	-	SOP-8
NK6614P	P	-60	±20	-1.8	-4	95	110	135	150	-	-	SOT23-6
NK6402A	N	30	±20	1.6	6.5	25	27	35	40	-	-	SOT23-6
NK6403A	P	-30	±20	-1.5	-5	-	55	-	70	-	-	SOT23-6
NK6602	N+P	30/-30	±20	2	3.5/-3	40	50	52	70	-	-	SOT23-6
ZN7002W	N	60	±20	1.3	0.3	2300	2600	2500	3000	-	-	SOT-323
NK1300	N	20	±12	0.5	2	-	-	65	75	80	90	SOT-323
NK1301	P	-20	±12	-0.7	-1.8	-	-	120	160	150	220	SOT-323
NK2101	P	-20	±8	-0.7	-1.4	-	-	-	100	-	140	SOT-323
NK2102	N	20	±8	0.95	2.1	-	-	59	68	70	115	SOT-323
NK7401	P	-30	±12	-1.6	-1.4	65	80	75	96	-	-	SOT-323
ZN7002KDW	N	60	±20	1.6	0.115	2500	3500	2800	5000	-	-	SOT-363
BNK84DW	P	-50	±20	-1.4	-0.13	2500	6000	3500	8500	-	-	SOT-363
NK1553	N+P	20/-20	±12	-	2/-1.8	-	-	-	50/130	-	55/140	SOT-363
NK1902	N	20	±10	-	1.3	-	-	150	180	190	240	SOT-363
NK7900	N	20	±10	0.75	0.9	-	-	151	200	237	350	SOT-363
NK7801	P	-20	±10	-0.6	-0.6	-	-	300	380	420	500	SOT-363
Z7252KDW	N+P	60/-50	±20	1.3	0.34/-0.10	900	5000	1100	5300	-	-	SOT-363
BNK138DW	N+N	50	±20	1.5	0.22	-	3500	-	6000	-	-	SOT-363
NK5211E	P	-20	±8	-0.6	-0.6	-	-	340	400	410	500	SOT-523
NK5212E	N	20	±8	0.6	0.9	-	-	200	220	235	300	SOT-523
Z2N7002K	N	60	±20	1.3	0.3	1600	2400	1900	2400	-	-	SOT-523
NK7211	P	-20	±12	-	-0.85	-	-	530	640	730	950	SOT-723
NK7212	N	20	±8	-	1.4	-	-	190	230	234	305	SOT-723
NK8907	P	-30	±20	-1.8	-5.1	42	52	-	-	-	-	SOT-89-3L
NK8911	P	-20	±12	-	-3.6	-	-	-	120	-	160	SOT-89-3L
NK8912	N	20	±12	-	4	-	-	40	50	65	70	SOT-89-3L
NK4294	N	100	±20	1.8	11	11	14	17	20	-	-	SOP-8
NK4406A	N	30	±20	1.6	10	8	12	11	16	-	-	SOP-8
NK4407A	P	-30	±20	-1.5	-1.2	11.5	15	18	25	-	-	SOP-8
NK4409	P	-30	±20	-1.5	-1.5	8.5	12	-	-	-	-	SOP-8
NK4435	P	-30	±20	-2.3	9.2	15	18	-	-	-	-	SOP-8
NK4606	N+P	30/-30	±20	1.6	5.8/-5.5	25	30	-	-	-	-	SOP-8
NK4805	P	-30	±20	-	-8.5	20	22	-	32	-	-	SOP-8
NK4813	P	-30	±20	-2	-8.5	16	20	20	30	-	-	SOP-8
NK4953	P	-30	±20	-	-5	-	55	-	82	-	-	SOP-8
NKF2800	N	20	±12	0.6	6.5	-	-	22	25	26	30	DFN2-2-6L
NKN3032N	N	30	±20	1.5	4.5	35	40	55	65	-	-	DFN2-2-6L
NKF2014N	N	20	±12	0.6	8.5	-	-	13	15	20	23	DFN2-2-6L
NKF2023P	P	-20	±12	-0.6	-8.5	-	-	23	25	27	37	DFN2-2-6L
SOD2409	P	-30	±20	-1.9	-6.8	25	30	45	50	-	-	DFN2-2-6L
N												